



- ▶ Commercial Lighting
- ▶ Acrylic Luminaires
- ▶ Prismatic Luminaires
- ▶ Courtyard Lighting

See our **NEW** anchor base and clam-shell base



Product Information

2PCL82-CMG or CNG

Pole: AB4X11
Height: 11'
Base: 2PCL8
Luminaire: CMG
Prismatic Globe

■ \$ 827

2PCL82-AGB2A

Pole: AB4X11
Height: 11'
Base: 2PCL8
Luminaire: AGB2A
Acrylic Globe

■ \$ 750

2PCL82-AG

Pole: AB4X11
Height: 11'
Base: 2PCL8
Luminaire: AG
Acrylic Globe

■ \$ 623

2PCL82-AC


Pole: AB4X11
Height: 11'
Base: 2PCL8
Luminaire: AC
Acrylic Globe

■ \$ 623

2PCL82-AGA1A

Pole: AB4X11
Height: 11'
Base: 2PCL8
Luminaire: AGA1A
Acrylic Globe

■ \$ 750



2PCL82-CMG (III) or CNG (V)

2PCL82-AGB2A

2PCL82-AG



2PCL82-AC



2PCL82-AGA1A

2PCL8 Base \$ 146

Pole Heights Available

AB4X9	9'	\$ 284
AB4X10	10'	\$ 293
AB4X11	11'	\$ 302
AB4X12	12'	\$ 311





General

Each cast aluminum base has a .25" minimum wall thickness with a 1.0" floor thickness. All poles are extruded aluminum. Wall thickness of the poles are as follows:

- 3" OD- .125" wall
- 4" OD- .125" wall
- 5" OD- .1875 wall

Installation

All commercial poles include anchor bolts and a template. The minimum diameter of the concrete pad is determined by the size of the base you select. The depth of the pad is determined by your local frost line and soil conditions. Use an elbow joint of conduit in the concrete for necessary wiring.

Electrical

Each lamp post fixture includes an incandescent socket for 110 volt electricity. High Intensity Discharge (HID) lighting, such as Metal Halide and High Pressure Sodium, is available in a variety of wattages and voltages. Other options such as time switches and photo controls are available and can be installed by your electrician. For your convenience, a button-type photo control can be factory-installed in the fixture.

Product Information

	Series CL1	Series CL2
Base Height	33"	32"
Base Width	12" Dia	15.5" Dia
Pole Diameter	3"	4"
Anchors	Three 1/2"	Four 1/2"
Base Footprint		
Access Door		

Prices

Product #	Pole Height	Price	Product #	Pole Height	Price
CL10	9'4"	\$325	CL20	10'4"	\$460
CL11	10'4"	\$340	CL21	11'4"	\$477
CL12	11'4"	\$355	CL22	12'4"	\$494
CL13	12'4"	\$369	CL23	13'4"	\$511
CL15	14'4"	\$400	CL24	14'4"	\$531
			CL25	15'4"	\$549



Series CL6


25.5"

17" Dia



4"

Four ³/₄"



Series CL7


25.5"

20" Dia



5"

Four ³/₄"



Series CL8


19"

17" Dia



4"

Three ³/₄"



Check our website for updated prices & special offers

Product #	Pole Height	Price
CL60	9'10"	\$535
CL61	10'10"	\$552
CL62	11'10"	\$569
CL63	12'10"	\$586
CL64	13'10"	\$603
CL65	14'10"	\$620

Product #	Pole Height	Price
CL70T	10'0"	\$793
CL71T	11'0"	\$817
CL72T	12'0"	\$841
CL73T	13'0"	\$865
CL74T	14'0"	\$889
CL75T	15'0"	\$913

Product #	Pole Height	Price
CL80	9'4"	\$391
CL81	10'4"	\$404
CL82	11'4"	\$417
CL83	12'4"	\$431
CL84	13'4"	\$446
CL85	14'4"	\$459

Product Information

Pole Heights Available

CL10	9' 4"	CL13	12' 4"
CL11	10' 4"	CL14	13' 4"
CL12	11' 4"	CL15	14' 4"

■ **CL11-AGA1A**
Pole: CL11
Height: 9' 4"
Luminaire: AGA1A
Acrylic Globe
■ \$ 642


■ **CL10-AG**
Pole: CL10
Height: 9' 4"
Luminaire: AG
Acrylic Globe
■ \$ 500

■ **CL11-AA**
Pole: CL11
Height: 10' 4"
Luminaire: AA
Acrylic Globe
■ \$ 511

■ **CL11-AGB2**
Pole: CL11
Height: 10' 4"
Luminaire: AGB2
Acrylic Globe
■ \$ 608

■ **CL10-CMG or CNG**
Pole: CL10
Height: 9' 4"
Luminaire: CMG
Prismatic Globe
■ \$ 704

■ **CL11-AC**
Pole: CL11
Height: 10' 4"
Luminaire: AC
Acrylic Globe
■ \$ 515




CL11-AGA1A

CL10-AG

CL11-AA



CL11-AGB2



CL10-CMG (III) or CNG (V)



CL11-AC



CL11-AGA1



CL1 Series

- **CL11-AGA1**
Pole: CL11
Height: 10'4"
Luminaire: AGA1
Acrylic Globe
■ \$ 608



CL20-CMG (III)
CNG (V)




- CL20-CMG
Pole: CL20
Height: 10'
Luminaire: CMG
Prismatic Globe
■ \$ 839



CL21-AGA1A




CL21-AGA1



CL20-AC

CL2 Series



CL20-CMC1 (III) or CNC1(V)

CL21-AGB2

CL21-AGB2A

Product Information

Pole Heights Available

CL20	10' 4"	CL23	13' 4"
CL21	11' 4"	CL24	14' 4"
CL22	12' 4"	CL25	15' 4"


- CL21-AGA1A**
 Pole: CL21
 Height: 11' 4"
 Luminaire: AGA1A
 Acrylic Globe
 \$ 779
- CL21-AGA1**
 Pole: CL21
 Height: 11' 4"
 Luminaire: AGA1
 Acrylic Globe
 \$ 745
- CL20-AC**
 Pole: CL20
 Height: 10' 4"
 Luminaire: AC
 Acrylic Globe
 \$ 635
- CL20-CMC1 or CNC1**
 Pole: CL20
 Height: 10' 4"
 Luminaire: CMC1
 Prismatic Globe
 \$ 840
- CL21-AGB2**
 Pole: CL21
 Height: 11' 4"
 Luminaire: AGB2
 Acrylic Globe
 \$ 745
- CL21-AGB2A**
 Pole: CL21
 Height: 11' 4"
 Luminaire: AGB2A
 Acrylic Globe
 \$ 779

Product Information

Pole Heights Available

CL60	9' 10"	CL63	12' 10"
CL61	10' 10"	CL64	13' 10"
CL62	11' 10"	CL65	14' 10"

- CL61-AGB2**
 Pole: CL61
 Height: 10' 10"
 Luminaire: AGB2
 Acrylic Globe
 ■ \$ 820
- CL60-CMG or CNG**
 Pole: CL60
 Height: 9' 10"
 Luminaire: CMG
 Prismatic Globe
 ■ \$ 914
- CL61-AGA1A**
 Pole: CL61
 Height: 10' 10"
 Luminaire: AGA1A
 Acrylic Globe
 ■ \$ 854
- CL61-CMC1 or CNC1**
 Pole: CL61
 Height: 10' 10"
 Luminaire: CMC1
 Prismatic Globe
 ■ \$ 932
- CL60-AG**
 Pole: CL60
 Height: 9' 10"
 Luminaire: AG
 Acrylic Globe
 ■ \$ 710
- CL61-AA**
 Pole: CL61
 Height: 10' 10"
 Luminaire: AA
 Acrylic Globe
 ■ \$ 723




CL61-AGB2

CL60-CMG (III) or CNG (V)

CL61-AGA1A



CL61-CMC1 (III) or CNC1(V)



CL60-AG



CL61-AA



CL60-AGB2A
w/oval band



CL6 Series

- CL60-AGB2A w/oval band
Pole: CL60
Height: 9' 10"
Luminaire: AGB2A
Acrylic Globe
■ \$ 869




CL81-AGA1A
w/Oval Band



- **CL81-AGA1A** w/oval band
- Pole: CL81
- Height: 10'
- Luminaire: AGA1A
- Acrylic Globe
- \$ 738


CL8 Series



CL81-AGB2

CL81-AG

CL82-AGB2A




CL81-AGA1



CL81-AC w/GF-1 Finial



CL81-CMG (III) or CNG (V)



Product Information

Pole Heights Available

CL80	9' 4"	CL83	12' 4"
CL81	10' 4"	CL84	13' 4"
CL82	11' 4"	CL85	14' 4"

- **CL81-AGB2**
 Pole: CL81
 Height: 10' 4"
 Luminaire: AGB2
 Acrylic Globe
■ \$ 672
- **CL81-AG**
 Pole: CL81
 Height: 10' 4"
 Luminaire: AG
 Acrylic Globe
■ \$ 579
- **CL82-AGB2A**
 Pole: CL82
 Height: 11' 4"
 Luminaire: AGB2A
 Acrylic Globe
■ \$ 719
- **CL81-AGA1**
 Pole: CL81
 Height: 11' 4"
 Luminaire: AGA1
 Acrylic Globe
■ \$ 672
- **CL81-AC w/GF-1**
 Pole: CL81
 Height: 10' 4"
 Luminaire: AC
 Acrylic Globe
■ \$ 591
- **CL81-CMG or CNG**
 Pole: CL81
 Height: 10' 4"
 Luminaire: CMG
 Prismatic Globe
■ \$ 783

Product Information

Pole Heights Available


CL80	9' 4"	CL83	12' 4"
CL81	10' 4"	CL84	13' 4"
CL82	11' 4"	CL85	14' 4"



13'
12'
11'
10'
9'
8'
7'
6'
5'
4'
3'
2'
1'



CL81-AC




CL81-CMD1 (III) w/Oval Band
CND1 (V) w/Oval Band



CL81-CMC1 (III)
CNC1 (V)

- CL81-AC**
Pole: CL81
Height: 10' 4"
Luminaire: AC
Acrylic Globe
■ \$ 579
- CL81-CMD1 or CND1**
w/Oval Band
Pole: CL81
Height: 10' 4"
Luminaire: CMD1
Prismatic Globe
■ \$ 825
- CL81-CMC1 or CNC1**
Pole: CL81
Height: 10' 4"
Luminaire: CMC1
Prismatic Globe
■ \$ 784
- CL81-CMF2 or CNF2**
w/Oval Band
Pole: CL81
Height: 10' 4"
Luminaire: CMD1
Prismatic Globe
■ \$ 825
- CL81-CME2 or CNE2**
Pole: CL81
Height: 10' 4"
Luminaire: AGB2
Prismatic Globe
■ \$ 784
- CL81-AGA1A**
Pole: CL82
Height: 10' 4"
Luminaire: AGA1A
Acrylic Globe
■ \$ 706



CL81-CMF2 (III) w/Oval Band
CNF2 (V) w/Oval Band

CL81-CME2 (III)
CNE2 (V)

CL81-AGA1A



CL80-AA



CL8 Series


- **CL80-AA**
Pole: CL80
Height: 9'4"
Luminaire: AA
Acrylic Globe
- \$ 562



CL7T0(A)-CMC1 (III)
CNC1 (V)



■ **CL70T(A)-CMC1 or CNC1**
Pole: CL70
Height: 10'
Luminaire: CMC1
Prismatic Globe
■ **\$ 1173**




CL7 Series

CL70T(A)-AGA1A

CL71T(A)-AGA1

CL70T(A)-CMD1 (III) w/Oval Band
CND1 (V) w/Oval Band



CL70T(A)-AC

CL71T(A)-AGB2

CL71T(A)-AGB2A

Product Information





Pole Heights Available

CL70	10' 0"	CL73	13' 0"
CL71	11' 0"	CL74	14' 0"
CL72	12' 0"	CL75	15' 0"

- CL70T(A)-AGA1A**
 Pole: CL70T
 Height: 10'
 Luminaire: AGA1A
 Acrylic Globe
 \$ 1095
- CL71T(A)-AGA1**
 Pole: CL71T
 Height: 11'
 Luminaire: AGA1
 Acrylic Globe
 \$ 1085
- CL70T(A)-CMD1 or CND1**
 w/Oval Band
 Pole: CL70T
 Height: 10'
 Luminaire: CMD1
 Prismatic Globe
 \$ 1214
- CL70T(A)-AC**
 Pole: CL70T
 Height: 10'
 Luminaire: AC
 Acrylic Globe
 \$ 968
- CL71T(A)-AGB2**
 Pole: CL71T
 Height: 11'
 Luminaire: AGB2
 Acrylic Globe
 \$ 1085
- CL71T(A)-AGB2A**
 Pole: CL71T
 Height: 11'
 Luminaire: AGB2A
 Acrylic Globe
 \$ 1119



Product Information

	AGA1A w/ oval band		AGA1		AGB2A		AGB2	
Height	38.5"		38"		34"		34"	
Width	17.25"		16"		17.25"		16"	
Globe Type	Acrylic Acorn Globe		Acrylic Acorn Globe		Acrylic Acorn Globe		Acrylic Acorn Globe	

Dark Sky Reflector

- High Downlight Efficiency
- Low Uplight Levels
- Ideal For Retrofits
- Easy to Install
- Easy Access for Lamp Replacement
- Adjustable Light Output Levels
- Use with 175W MH Max

DSR-MOG-For mogul socket
DSR-MED-For medium socket

\$68



The Dark Sky Reflector is affordable and can be used on new or existing lighting fixtures to improve your impact on the environment. The reflector meets both old and new IES criteria for Uplight minimization. The amount of cut-off you require can be achieved through the proper positioning of the component. With the three standard mounting heights, you can achieve maximum usable light while still allowing only a minimal amount of Uplight.



\$ 187



\$ 171



\$ 171



\$ 175

AC
w/ globe finial GF1

35"

16.25"

Acrylic Acorn
Globe



AA

28"

14"

Acrylic Acorn
Globe



AR

28"

14"

White Acrylic
Acorn Globe



AG

29"

15"

Acrylic Acorn
Globe



**DSR-MOG
with -29A Globe**

64.7%

60.0%

2.78%

1.94%

67.5°

**DSR-MOG
with -27A Globe**

66.3%

60.0%

2.28%

4.16%

62.5°



175 W MH
Rated 15,000 Lumens

Use with 8"
neck acorn
globes

-29
-29A
-27
-27A



3'
2'
1'



\$ 379



\$ 380

Product Information

**CMG (III)
CNG (V)**



**CMC1 (III)
CNC1 (V)**



Height

31"

36"

Width

16"

16"

Globe Type

Prismatic Acorn Globe

Prismatic Acorn Globe

Lamp Post Parts

3X8-CH



\$98

Holder for 8"
Neck Globes on 3"
& 4" OD poles

3X9-CH



\$119

Holder for 9"
Neck Globes on 3"
& 4" OD poles

3X4-CH



\$29

Holder for 4"
Neck Globes on
3" OD poles

3X4-T



\$57

3" OD Tenon for
4" OD pole

3X5-T(A)



\$57

3.5" ID Tenon for
5" OD pole

Globe Holders & Tenons



\$ 421



\$ 380



\$ 421



CMD1 (III)
w/Oval Band
CND1 (V)
w/Oval Band



38.5"

16"

Prismatic Acorn Globe

CME2 (III)
CNE2(V)



32"

16"

Prismatic Acorn Globe

CMF2 (III)
w/Oval Band
CNF2 (V)
w/Oval Band



34.5"

16"

Prismatic Acorn Globe

Acorn Globe Finials

GF-1



\$12

Height: 4.5"
Width: 3"

GF-2



\$14

Height: 4.5"
Width: 3"

Decorative Band



\$32

OVAL BAND



Product Information

	-27A -27	-26A -26	-16A
Height	25"	22"	20"
Width	16.25"	14"	14"
Neck	8"	8"	8"
Globe Types	Acrylic Acorn Globe Polycarbonate Acorn Globe	Acrylic Acorn Globe Polycarbonate Acorn Globe	Acrylic Acorn Globe —
Maximum Wattage – Incandescent	250 watt 500 watt	250 watt 400 watt	250 watt —
Maximum Wattage – HID	175 watt 250 watt	175 watt 250 watt	175 watt —

High Intensity Discharge Lighting (H.I.D.)

High Pressure Sodium

High Pressure Sodium lighting yields a **yellow light** and is used where color rendition is less critical.

Model #	Description	Voltage	Price			
35W HPS-K	35w NPF Ballast Kit w/ 4KV Med. Socket	120V	\$ 68			
50W HPS-K	50w NPF Ballast Kit w/ 4KV Med. Socket	120V	\$ 60			
70W HPS-K	70w NPF Ballast Kit w/ 4 KV Med. Socket	120V	\$ 68			
100W HPS-K	100w HPF Ballast Kit w/ 4KV Med. Socket	120V	\$ 74			
150W HPS-K	150w HPF Ballast Kit w/ 4KV Med. Socket	120V	\$ 73			
250W HPS-K	250w HPF CWA Ballast Kit w/ 4KV Mog. Socket	Quad Tap	\$ 160			
LAMPS Model #	Description	Initial Lumens	CRI	Base	Rated Life	Price
35W HPSMED-L	35watt HPS Lamp	2250	22	Med	1600	\$ 23
50W HPSMED-L	50watt HPS Lamp	4000	22	Med	24000	\$ 23
70 W HPSMED-L	70watt HPS Lamp	64000	22	Med	24000	\$ 19
100 W HPSMED-L	100watt HPS Lamp	9500	22	Med	24000	\$ 19
150 W HPSMED-L	150watt HPS Lamp	16000	22	Med	24000	\$ 17
250 W HPSMOG-L	250watt HPS Lamp	28000	22	Mog	24000	\$ 18



\$ 82



\$ 66




\$ 29

-29A

-24

-14

-29



Acrylic Acorn Globe
Polycarbonate Acorn Globe

Polycarbonate Acorn Globe

Polyethylene Acorn Globe

250 watt
500 watt

200 watt
—

150 watt
—

175 watt
250 watt

200 watt
—

150 watt
—



High Intensity Discharge Lighting

The relatively long life of a HID lamp **reduces maintenance costs** while the high efficacy **minimizes energy usage**, thereby lowering the overall operating cost of an HID light source.

Metal Halide



Metal Halide lighting yields a crisp **white light** and is most used in applications sensitive to color.

Ballasts Kits (including socket)	Description	Voltage	Price			
Model # 70W MHP-K	70 HPF Ballast Kit w 4KV Med. Socket	QUAD TAP	\$ 103			
100W MHP-K	100w HX-HPF CWA Ballast Kit w/4KV Med. Socket	QUAD TAP	\$ 108			
175W MHP-K	175w HPF CWA Ballast Kit w/ 4KV Mog. Socket	QUAD TAP	\$ 128			
250W MHP-K	250w HPF CWA Ballast Kit w/ 4KV Mog. Socket	QUAD TAP	\$ 133			
LAMPS	Description	Initial Lumens	CRI	Base	Rated Life	Price
Model # 70W MHPMED-L	70watt MH Lamp	5500	65	Med	7500	\$ 33
100W MHPMED-L	100watt MH Lamp	9000	65	Med	10000	\$ 33
175W MHPMOG-L	175watt MH Lamp	14000	70	Mog	10000	\$ 44
250W MHPMOG-L	250watt MH Lamp	20500	70	Mog	10000	\$ 44

LP251-84L
9'6"
\$ 361



LP551-84L
8'6"
\$ 264



LP351-16
9'6"
\$ 396



Courtyard Lighting

LP251-26A
9'8"
\$ 440



LP351-14
8'10"
Verde Green
\$ 284



Courtyard Lighting



-84L

Bevel Glass Lens
4 Candelabra
Max. 60w each

\$ 97



-84M

Bevel Glass Lens
3 Candelabra
Max. 60w each

\$ 58



\$ 317

LP351-84L
9'5"



Product Information

General

Each cast aluminum base has a .25" minimum wall thickness and 1/2" diameter mounting holes on the exterior. The three-inch diameter extruded poles are .125" thick.


Installation

All courtyard lamp posts are wired for 110 volt electricity and include installation instructions. Each must be bolted to a concrete pad. The minimum diameter of the concrete pad is determined by the size of the base you select. The depth of the pad is determined by your local frost line and soil conditions. Use an elbow joint of conduit in the concrete for the necessary wiring. It is best to obtain your lamp base before setting the bolts in concrete. If you wait for your order to arrive, you can pour the concrete and come back later with expansion bolts.


Series LP2








Series LP3



Series LP5



Base Height	32"	30.5"	19.5"
Base Width	14" Dia	10" x 10"	10" x 9"
Pole Diameter	3"	3"	3"
1/2" Dia Anchors Extra Charge	Four	Four	Three
Base Footprint			
Access Door			N/A

Prices

Product #	Height	Price	Product #	Height	Price	Product #	Height	Price
LP251	7'4"	\$269	LP351	7'2"	\$225	LP551	6'4"	\$172
LP261	8'4"	\$282	LP361	8'2"	\$238	LP561	7'4"	\$185
LP271	9'4"	\$294	LP371	9'2"	\$250			